PRICES EFFECTIVE
February 1, 2003
Supercedes All
Previous Catalogs
Prices subject to change
without notice.

LAKEVIEW CO., INC.

Manufacturer of Mobile Antennas and Accessories by
WD4BUM

3620-9A WHITEHALL RD. • ANDERSON, SC 29626

Telephone Hours:
Mon.-Fri. 8am - 4:30pm EST
(864) 226-6990
Fax (864) 225-4565
E Mail:
hamstick@hamstick.com
www.hamstick.com

2 METER MOBILE ANTENNAS 5/8 WAVE + 3Db GAIN

Replacement Whips $5.95

$32.95

MADE IN USA

- A TRUE 5/8 WAVE, SHUNT FED ANTENNA.
- HONEST 3DB GAIN.
- Pretuned to the band center.
- Below 1.5 to 1 SWR over the entire band.
- Can be tuned to other nearby frequencies (up to 174 MHz)
- Stiff stainless steel tapered whip.
- Extra strong 3" magnet.
- 15 ft. RG-58 coax & PL-259.
- Free vinyl magnet pad.
- Extra Magnet Pads 25¢.
- 150 Watts
- 1/4 Wave on 6 Meters
- Can be ordered with BNC or SMA Connector

MADE IN USA

Permanent mount requires 3/8" hole. Fender mount requires 2 invisible holes for mounting screws.



F-100

CATALOG NUMBERS

MOUNT	2 METERS	220 MHz
Magnet	M-100	M-200
Trunk	T-100	T-200
Permanent	P-100	P-200
Fender	F-100	F-200
RV	RV-100	RV-200

NEW !! AT LAST!! NEW

2 METER ANTENNA NO GROUND REQUIRED

- Boats
- R.V.s
- Fiberglass roof vans
- Plastic cars
- Bicycles
- Motorcycles
- Can be used with ground plane

- 3 Db Gain
- Power rated at 100 watts
- NMO base mount
- Only 40" tall
- 17-7 ph stainless steel whip
- Adapter and fully adjustable marine mount available.
- Patent Pending

CAT. # HW-1

$44.95

MADE IN USA

ECONOMY DUAL BAND

FOR 146 & 446 MHz BANDS

- Only 19" Tall
- Black Powder Coated Magnet
- 150 Watts
- Black Whip
- 15' RG-58 Coax
- PL-259 or BNC Connector
- Free Magnet Pad
- Low SWR on Both Bands

CAT. # EDB-1 PL-259
EDB-2 BNC
EDB-3 SMA (19.95)



$17.95

MADE IN USA

1/4 WAVE MOBILE ANTENNAS

146 / 220 / 446

- MAX. GAIN POSSIBLE FOR A 1/4 WAVE ANTENNA.
- Very stiff stainless steel whip.
- Heavy Duty 2" magnet.
- Typical 1.25 to 1 SWR at resonance.
- Pretuned to the center of the band.
- 15 ft. RG-58 coax with PL-259
- Available tuned 100 MHz to 500 MHz on special order.
- Free vinyl magnet pad with magnet mount.
- Extra Magnet Pads 25¢.



$17.95

MADE IN USA

Magnet CAT. #M-300 — w/One Black Whip CAT. #M-303 Pretuned whips for 146 MHz, 220 MHz, and 446 MHz are included at this low $17.95 price. RATED AT 300 WATTS Replacement Whips $4.00 Set.

CAT. #NMO-58

- 5/8 Wave for 2 meters
- NMO Mount
- 52" Tall
- Tunable for other frequencies
- 150 Watts
- 3 Db Gain

$24.95

MADE IN USA

For Antennas That Require SO-239 Fitting Order **CAT.# SO-58**

HIGH GAIN DUAL BAND

FOR 146 & 446 MHz BANDS

- 3.7 Db VHF
- 6.0 Db UHF
- Only 39" Tall
- 150 Watts
- Accepts PL-259 Direct
- All Hardware Included

CAT. #DB-5 PL-259
CAT. #DB-6 BNC
CAT. #DB-7 SMA

$49.95

MADE IN USA

HIGH GAIN DUAL BAND WHIP

FOR 146 & 446 MHz BANDS

- NMO Mount
- 3.7 Db VHF
- 6.0 Db UHF
- Only 38" Tall
- 150 Watts
- Low SWR on both bands

CAT.#DBW-5

$30.95

COLINEAR ANTENNAS

- Honest 4.5 Db gain.
- 500 watts
- 17-7 Stainless Steel top section.
- Rugged fiberglass base section.
- Base fitting is std. 3/8" x 24 TPI.
- Length 7 ft. approx. for 2 Meters.

146 MHz—CAT. #9007
220 MHz—CAT. #9038
440 MHz—CAT. #9440

Quick disconnect not recommended.

MADE IN USA **$24.95**

NEW ENHANCED
DISCONE SCANNER ANTENNA

CAT #D-16+

- 800 to 900 MHz enhancement.
- Transmit on 146, 220, and 440 MHz amateur bands.
- Compact, will fit in 36" x 36" space.
- Receives all AM-FM & SSB frequencies.
- Gain improves with frequency increase.
- Mounts to any vertical mast 1" to 1 1/2".
- Aluminum mount and elements.
- 8 cone and 8 disk elements—same as other discones selling for nearly three times our price.
- Accepts standard PL-259 connector.
- For type "N" connector add $5.00.



MADE IN USA

$38.95

10 METER MAGNET MOUNT

CAT. #M-10 Ten Meter
CAT. #M-11 Eleven Meters



MADE IN USA

- Band width 600 KHz
- Tunable
- 15' Coax with PL-259 installed
- Strong 3" magnet
- Shunt Fed & DC grounded.
- Approx. 52" high
- Free vinyl magnet pad
- Rated 125 watts

$32.95

Tri—Magnetic Mount

CAT. #375 +

For Diamond, Comet, Icom, Antennas That Require SO-239 Fitting

ONLY $46.95

For Antennas That Require NMO Mount Order **CAT # 375-NMO**



100% MADE IN USA

ALL STAINLESS STEEL HARDWARE AT NO EXTRA COST

Adaptors



NEW

$12.95

CAT. #NMO-S0
NMO to SO-239

$12.95

NEW



CAT. #NMO-38
NMO to 3/8" x 24".

E-Z Over Antenna Adaptor. Spring Loaded for 90° fold over. Chrome plated brass with stainless steel spring and pin for 3/8 x 24 antennas and mounts.

CAT. #203EZ **$12.95**

180 degree Swivel
3/8 - 24 mount

CAT. #406

$5.95

QUAD MAGNET MOUNT



MADE IN USA

Four 4" Powder Coated Magnets

$55.95

CAT. #376

- 3/8 x 24 TPI mount.
- For over 825# of holding power.
- 6061— Aluminum frame.
- 15 ft. coax & PL-259 installed.
- 4 vinyl pads for paint protection included.
- 20" Footprint.
- All Stainless Steel Hardware At No Extra Cost

We, at the factory, have operated this mount with a Carolina Bug Katcher installed at well over 65 MPH on interstate highways without failure!

For Antennas That Require NMO Mount Order **CAT # 376-NMO**

For Diamond, Comet, Icom, Antennas That Require SO-239 Fitting Order **CAT. #376+**

Tri—Magnetic Mount

CAT. #375

ONLY $42.95

- Holds All Hamstick Antennas and Many Others.
- Over 400# Of Holding Power.
- 3/8" x 24 Thread Mounting.
- 15' RG-58 Coax w/PL-259.
- No Rust Aluminum Construction.
- 13" x 13" Foot Print.
- 3 Vinyl Pads for Paint Protection Included



100% MADE IN USA

All Stainless Steel Hardware At No Extra Cost

SUPER QUAD MAGNET

For Antennas That Require NMO Mount Order **CAT # 377-NMO**

MADE IN USA

Four 5" Powder Coated Magnets

$78.95

CAT. #377

For over one half ton of holding power.

- 3/8 x 24 TPI mount.
- 6061— Aluminum frame.
- 15 ft. coax & PL-259 installed.
- 4 vinyl pads for paint protection included.
- 22" Footprint.
- All Stainless Steel Hardware At No Extra Cost

We, at the factory, have operated this mount with a Carolina Bug Katcher installed at well over 65 MPH on interstate highways without failure! However, due to the greatly varying operating conditions that are possible, we DO NOT warrant this or any other mount to perform any particular function.

For Diamond, Comet, Icom, Antennas That Require SO-239 Fitting Order **CAT. #377+**

HAM STICKS® FOR HF MOBILE OPERATION

When these mobile HF antennas were first introduced by WD4BUM, they created quite a stir in the amateur antenna industry because of their unique low profile design and outstanding performance. Since that time they have been copied and imitated by other manufacturers but none have improved upon the original HAM STICK® design!

These two-piece MONOBAND ANTENNAS consist of a hollow fiberglass base section approximately 1/2" diameter with the loading coil wound directly on the fiberglass and covered with PVC shrink tubing. The black oxide brass base fitting has 3/8" x 24 male threads that fit most amateur mobile mounts.

The top section is a tapered, 17-7 PH tempered Stainless Steel whip that telescopes into the base section for frequency adjustment. It is secured by two set screws.

The assembled, adjusted antenna will be approximately 7' long. High mounting on the vehicle is desirable and not a problem as the antenna is VERY resilient and will withstand abuse that would destroy conventional metal antennas. No spring or guy wiring is required.

USE OF A QUICK DISCONNECT SUCH AS OUR 009HD IS RECOMMENDED
DETAILED MOUNTING, TUNING AND MATCHING INSTRUCTIONS FURNISHED.

TW-2 Requires Additional Shipping & Handling Fee

THE WD4BUM INDUCTI-MATCH—CAT. #IM-1

NEW & IMPROVED

$17.95

2 1/2" dia. x 2 1/4" high. Pictured is the base and mount for a Ham Stick® with the INDUCTI-MATCH Installed.

Finally an inexpensive, easy way to MATCH HF antennas (80M-15M). Far easier to use and ½ the cost of the present capacitance match boxes available. The INDUCTI-MATCH also mounts at the feed point of the antenna which is the proper place for matching, and does not have to be in a weather protected environment.

Complete installation instructions and all hardware necessary are included. Works on any brand mobile HF antenna.

(Not normally needed on 10 and 6M).

PEP RATING 600 WATTS		
CAT. #	**BAND**	**2:1 BAND WIDTH**
9175*	75 METERS	10 KC
9140	40 METERS	60 KC
9130	30 METERS	BAND
9120	20 METERS	175 KC
9117	17 METERS	BAND
9115	15 METERS	350 KC
9112	12 METERS	BAND
9110	10 METERS	1 MC
9106	6 METERS	2 MC

MADE IN USA

*3.75 to 4.00 MHz

RECOMMENDED MOUNTS
BC-1, 015A, 074, 081, 243, 274, 275, 276, 375, 901, HK-1, TM-1

$24.95

TW-1 EXTRA 47" TAPERED WHIPS $5.95
TW-2 EXTRA 59" TAPERED WHIPS $6.95

MADE IN USA

Not recommended for Hamstick® antenna's

Extremely strong, low profile magnet mounts. Black powder coated steel cover. 3/8" x 24 TPI female. 15 ft. RG-58, with a PL-259 connector.

3 Inch	Cat. # 370	$12.95
3 Inch	Cat. # 370+	$17.95
4 Inch	Cat. # 371	$14.95
4 Inch	Cat. # 371-NMO	$19.95
4 Inch	Cat. # 371+	$19.95
5 Inch	Cat. # 372	$18.95
5 Inch	Cat. # 372-NMO	$24.95
5 Inch	Cat. # 372+	$24.95

For Antennas That Require SO-239 Fitting Order (+) Plus Mount

ADAPTER
CAT. # UG-255

Connects most hand-held radios to a PL-259 connector, permitting use of outside antennas for mobile or base operation.

$2.95

QUICK DISCONNECT CAT. #009HD

- For larger, heavier antennas
- 3/8" x 24 TPI threads
- Black oxide Plated Brass

$7.95

Female half only $5.95
Order CAT. #009HDF

Male half only $4.95
Order CAT.# 009HDM

MADE IN USA

1/4 WAVE BASE STATION
FULL 1/4 WAVE PERFORMANCE
At the LOWEST Price

$14.95

- Mounts and elements are aluminum
- Fits masts from 1" to 1½"
- All mounting hardware is included
- Accepts PL-259 connector

CAT.#GP-10-2	FOR 2 METERS
CAT.#GP-10-220	FOR 220 MHz
CAT.#GP-10-440	FOR 440 MHz
CAT.#GP-10-SCAN	FOR SCANNER

ALUMINUM MOUNT & RADIALS

MADE IN USA

COLINEAR BASE STATION ANTENNA

With:
- CAT #9007-B for 146MHz
- CAT #9038-B for 220MHz
- CAT #9440-B for 446MHz

- Up to 6Db gain
- Mounts to any mast 1" to 1½"
- Mounting hardware included
- 3/8" x 24 Female fitting
- PL-259 connects direct

ALUMINUM MOUNT & RADIALS

$36.95



MADE IN USA

CAT. #EDBB-1 ECONOMY DUAL BAND BASE STATION

- For 446 MHz
- And 146 MHz
- Mast mount

$24.95

MADE IN USA

CAT. #9106-B 6 METER GROUND PLANE BASE STATION ANTENNA

- All hardware included.
- Accepts PL-259 direct.
- Tunable for other nearby frequencies.

$36.95



MADE IN USA

DUAL BAND ON THE GLASS

CAT. #OTG-270

- Rated at 60 watts
- 2.8 Db Gain 146 MHz
- 5.3 Db Gain 446 MHz
- Complete instructions
- All mounting hardware
- RG-58 coax and connectors
- Only 25½" tall

MADE IN USA

ONLY $40.95

ON THE GLASS CB ANTENNA

CAT. #OTG-CB

- 25 Watts
- RG-58 coax with PL-259 connector
- Complete mounting hardware
- Imported for Lakeview Co.

ONLY $21.95



TWO METER ON THE GLASS

CAT. #OTG-2

- Rated at 60 watts
- 3 Db Gain
- Complete instructions
- All mounting hardware
- RG-58 coax and connectors
- Only 27½" tall

MADE IN USA

ONLY $33.95

CAT. #DBB-5



DUAL BAND BASE

- 146 MHz
- 446 MHz
- 6 DB UHF
- 3.7 DB VHF
- Accepts PL-259 Direct
- 150 Watts
- Mast Mount

$36.95

TOP LOAD ANTENNANS

$12.95 **4 Ft. Long**

10 Metters CAT.#9010
11 Meters CAT.#9011

- Helically wounded fiberglass
- 3/8' x 24 TPI base fits most mounts
- 50Ω at resonance

RECOMMENDED MOUNTS

BC-1, 015A, 074, 081, 082, 240, 243, 274, 275, 276, 281, 372, 375, 901, HK-1, TM-1

3/4 WAVE ANTENNAS

146 MHz CAT. #9002
220 MHz CAT. #9022

- Pretuned
- Same Gain as a 5/8 wave.
- Approx. 52" long on 2 meters
- 3/8" x 24 TPI brass base fitting fits most mounts.
- Very stiff tapered Stainless Steel Whip.
- Rated at 500 watts

RECOMMENDED MOUNTS: BC-1, 015A, 074, 081, 082, 243, 274, 275, 276, 372, 375, 901, TM-1, HK-1.

MADE IN USA **$14.95**



ECONOMY DUAL BAND WHIP

- 150 Watts
- 146 and 446 MHz Bands
- Black Whip
- 3/8" x 24 TPI Fits Most Mounts
- Low SWR on Both Bands

CAT. # EDBW-1

$9.95

MADE IN USA



CAT. #NMO-270

- Dual Band 146 & 446 MHz
- 17-7 PH Stainless Steel
- Black Whip and Mount
- NMO Mount
- 150 Watts
- 3 Db Gain on 446 Mhz

$12.95



CAT. #NMO-144

- 1/4 Wave for 2 meters
- Black NMO Mount and Whip
- Can be cut for other frequencies
- 150 Watts

$10.95

VHF & UHF QUARTER WAVE ANTENNA

CAT. #8001

- Stainless steel whip, pretuned to 146 MHz.
- 3/8" 24 TPI brass adjustable base fitting.
- Rated 300 watts.
- Use with any Lakeview Mount listing 3/8 x 24 TPI.

MADE IN USA

$7.95

TEN METERS IS BACK!

- 1 MHz Band Width
- 600 Watts
- Famous "Hamstick" Technology
- Fiberglass And Aluminum Construction
- Mast Mount
- All Hardware Included
- Accepts PL-259 Direct
- Tunable For Near By Frequencies
- Only 10 Feet Tall

CAT #GP-28
MADE IN USA

ONLY $56.95

CAT.# 276-NMO



- Heavy Aluminum Construction
- 15' RG-58 with PL-259 Installed
- Mounts Vertically or Horizontally

ONLY $17.95

CAT. #RC-1



- Rain Cap for NMO Mount
- Black ABS Plastic
- "O" Ring for better seal

$2.95

CAT. #NMO



- Requires 13/16" hole
- For all antennas requiring NMO Mount
- "O" Ring for good seal

$8.95

CAT. #PNMO-1 PNMO-2 PNMO-3



- Permanent mount NMO
- Requires 13/16" hole
- 15" RG-58 COAX
- PNMO-1 for PL- 259 connector
- PNMO-2 for BNC connector
- PNMO-3 for SMA connector

$13.95

CAT. #NMO-1 (PL-259) NMO-2 (BNC) NMO-3 (SMA)

- Very strong 3" black powder coated magnet
- 15' RG- 58 Coax
- For all antennas that require NMO Mount

$18.95

CAT. #F-NMO



- 15' RG-58 Coax
- PL-259 Installed
- 2 Self Tapping Screws
- For All Antennas requiring NMO Mount
- Stainless Steel
- 100% Made in USA

$17.95

5/8 WAVE GROUND PLANE 4Db GAIN

This antenna, when mounted at the same height, will equal (and in many cases out perform) others selling for two and three times its cost!

- Over 4 MHz band width below 1.5 to SWR.
- DC grounded for static bleed off.
- Shunt fed matching system for lowest SWR.
- GP-1 can be set for frequencies up to 174 MHz.

MOUNTS TO ANY MAST 1" TO 1 1/2"
ALL MOUNTING HARDWARE INCLUDED

$27.95

CAT. #GP-1 FOR 2 METERS
CAT. #GP-2 FOR 220 MHz
CAT. #GP-3 FOR 121.500 / 123.300 MHz
RATED AT 150 WATTS

CAT # T+

- Trunk Lip Mount
- No Hole Mount
- 15' RG-58 Coax
- For Antenna's That Require SO-239 Fitting (Imported Antennas)

$17.95

CAT # T-NMO

- Trunk Lip Mount
- No Hole Mount
- 15' RG-58 Coax
- Fits Antennas with Motorola Fittings
- PL-259 Installed

$17.95

2 METER RUBBER DUCK

CAT. #D-2

- Low SWR
- BNC connector
- 12" Tall
- 5/8 Wave
- 3 Db Gain
- Flexible rubber construction

$12.95

446 MHz RUBBER DUCK

CAT. #D-4

- BNC connector
- 6 1/2" high
- 1/2 Wave
- Low SWR
- Removable whip
- Flexible rubber construction
- 2.5 Db Gain

ONLY $14.95

DUAL BAND DUCK

146 MHz 446 MHz

CAT. #D-27

- BNC connector
- Low SWR
- 3 Db VHF
- 5.3 Db UHF
- 12" Tall
- Flexible rubber construction

ONLY $24.95

MOUNTS

CAT. #096
3" "U" BOLT MOUNT

For roll bars, apartment railings, etc. 3/8" x 24 thread.



MADE IN USA

$8.95

CAT. #243
ALUMINUM FLAT BAR MOUNT

For fiberglass cars, etc. 3/8" x 24 thread; mount is 14" long.



MADE IN USA

$14.95

NEW NEW

CAT. #TM-1
LICENSE PLATE MOUNT

- Mounts behind license plate
- Mount is constructed of 304 Stainless Steel
- Complete with S/S hardware and instructions
- For Antenna's with 3/8" x 24 Thread
- Accepts PL-259 Direct
- Ground strap included

100 % MADE IN USA

$44.95

Antennas that require SO-239 Fitting Order **CAT. #TM-1+**

CAT. #276
MOUNT COAXIAL CONNECTION

- Heavy duty 3/8" x 24 TPI and SO-239 connector.
- Mounts horizontally or vertically or flush to vehicle.
- Accepts PL-259 direct.



MADE IN USA

$10.95

CAT. #F-1

- Fender Mount with 275
- All Aluminum and Brass
- Mounts between fender and hood
- For 3/8" x 24 Thread Antenna's
- Accepts PL-259

100 % MADE IN USA

$13.95



CAT. #901
ROTATABLE DIPOLE MOUNT

Use with two HAM STICKS® to make a short dipole. For indoor use, boats, or other limited space applications, or where a suitable ground doesn't exist. Hardware included for mounting to vertical mast up to 11/2" Diameter. All instructions included. Aluminum construction 9" long.

MADE IN USA

$14.95



CAT. #015A
TRUNK MOUNT ASSEMBLY

No-holes mounting. Fast, permanent installation. Complete with 15' cable, connector and hardware. Mounting by means of two set screws. Accepts 3/8" x 24 thread antenna. Ideal for colinears and hamsticks.

MADE IN USA

$14.95

CAT. #074

- Heavy duty split ball mount.
- Heavy chrome plated.
- Fits all 3/8" x 24 TPI antennas.
- All mounting hardware included.

$12.95

MADE IN USA

CAT. #075 HEAVY DUTY SPLIT BALL MOUNT AND LARGE SPRING

3/8" X 24 TPI female. All hardware and instructions included.

$22.95

MADE IN USA

CAT. #082 MOUNT ASSEMBLY

- For attaching antennas with 3/8" x 24 male threads to any metal surface by drilling a 1/2" hole.
- Tempered 3/8" steel bolt holds the largest of antennas.

$2.95

MADE IN USA



CAT. #276 + THREE WAY MOUNT ALUMINUM

For antennas that require SO-239 connector, most Comet, ICOM, Larson, etc. Mounts to vertical mirror, horizontal mirror, ladder, railings, or screws directly to body. Complete with 15' of RG-58 coax & PL-259 connector.

$20.95

MADE IN USA

WHIP ADAPTER

CAT. #WA-1

- 3/8" x 24 TPI
- Stainless Set Screw
- .093 Hole
- No Rust All Brass

$2.00

MADE IN USA

CAT. #275 MOUNT ASSEMBLY

For attaching standard 3/8" x 24 TPI antennas to any metal surface with a 1/2" hole. Includes coaxial adapter for fast termination to a PL-259 connector.

$4.95

MADE IN USA

CAT. #235

Barrel spring for antennas to 9 ft. 3/8" x 24 TPI with removable stud.

$12.95

MADE IN USA

CAT. #BC-1 BUMPER CLIP

ONLY $11.95

MADE IN USA

- Fits Most Bumpers
- Aluminum Construction No Rust.
- Fully Adjustable.
- Standard 3/8" x 24 Thread Mount
- Accepts PL-259 Direct.

CAT. #081 TRI MOUNT

Mounts horizontally or vertically. Can also be mounted to any flat surface. Accepts standard 3/8" x 24 TPI antenna base. All hardware furnished.



MADE IN USA

$8.95

LONG NUT

Cat # LN-1

- 3/8" X 24 TPI
- No rust all brass.
- Heavy Chrome plated.
- 5/8" OD X-tra heavy
- 7/8" long

MADE IN USA

$2.00

CAT. #274 SIDE MOUNT

Designed specially for trucks or campers. Mounts on any flat vertical surface and accepts standard 3/8" x 24 TPI antenna. Complete with backing plate, bolts, nuts, washers.

MADE IN USA

$8.95

HERSHEY KISS MOUNT

- Heavy Duty
- Requires 5/8" hole
- For 3/8" x 24 TPI antennas.
- SO-239 connector.

CAT. #HK-1

$10.95

WARRANTY INFORMATION

ALL WD4BUM products are guaranteed as to materials and workmanship to the original owner for six months from date of purchase. Between six and twenty-four months, a repair or replacement charge of 50% of the then current retail price will be required. All returns must have a return authorization number (RAN). To obtain a RAN call (864)-226-6990. **NO RETURN** will be accepted without the RAN plainly visible on the shipping label. Return prepaid to Lakeview Company, Inc. with proof of purchase. We assume no liability above the cost of the product. Warranty is void by misuse, abuse or unauthorized disassembly. All sales final. No exchanges.

STUD

- 3/8" X 24 TPI
- No rust all brass.
- Screw driver slotted
- Chrome plated brass.

CAT. #S-1

$1.50

LAKEVIEW CO., INC.

3620-9A Whitehall Rd.
Anderson, SC 29626
(864) 226-6990

MasterCard VISA DISCOVER

Send catalog numbers and quantities with your check, money order, VISA, MasterCard or Discover numbers. Be sure to include expiration date on card. Add $9.00 per order for UPS shipping in U.S.A., Alaska & Hawaii higher.

South Carolina orders add sales tax.

LAKEVIEW CO., INC.
3620-9A Whitehall Road
Anderson, SC 29626

PLACE
STAMP
HERE

HAM STICKS® FOR HF MOBILE OPERATION

When these mobile HF antennas were first introduced by WD4BUM, they created quite a stir in the amateur antenna industry because of their unique low profile design and outstanding performance. Since that time they have been copied and imitated by other manufacturers but none have improved upon the original HAM STICK® design!

These two-piece MONOBAND ANTENNAS consist of a hollow fiberglass base section approximately ½" diameter with the loading coil wound directly on the fiberglass and covered with PVC shrink tubing. The plated brass base fitting has 3/8" x 24 male threads that fit most amateur mobile mounts.

The top section is a tapered, 17-7 PH tempered Stainless Steel whip that telescopes into the base section for frequency adjustment. It is secured by two set screws.

The assembled, adjusted antenna will be approximately 7' long. High mounting on the vehicle is desirable and not a problem as the antenna is VERY resilient and will withstand abuse that would destroy conventional metal antennas. No spring or guy wiring is required.

USE OF A QUICK DISCONNECT SUCH AS OUR 009HD IS RECOMMENDED

DETAILED MOUNTING, TUNING AND MATCHING INSTRUCTIONS FURNISHED.

$24.95

TW-2 Requires Additional Shipping & Handling Fee

THE WD4BUM INDUCTI-MATCH—CAT. #IM-1

2 1/2" dia. x 2 1/4" high. Pictured is the base and mount for a 75 meter Ham Stick® with the INDUCTI-MATCH Installed.

NEW & IMPROVED

$17.95

Finally an inexpensive, easy way to MATCH HF antennas (80M-15M). Far easier to use and ½ the cost of the present capacitance match boxes available. The INDUCTI-MATCH also mounts at the feed point of the antenna which is the proper place for matching, and does not have to be in a weather protected environment.

Complete installation instructions and all hardware necessary are included. Works on any brand mobile HF antenna.

(Not normally needed on 10 and 6M).

PEP RATING 600 WATTS		
CAT. #	**BAND**	**2:1 BAND WIDTH**
9175*	75 METERS	10 KC
9140	40 METERS	60 KC
9130	30 METERS	BAND
9120	20 METERS	175 KC
9117	17 METERS	BAND
9115	15 METERS	350 KC
9112	12 METERS	BAND
9110	10 METERS	1 MC
9106	6 METERS	2 MC

MADE IN USA

*3.75 to 4.00 MHz

RECOMMENDED MOUNTS
BC-1, 015A, 074, 081, 243, 274, 275, 276, 375, 901, HK-1, TM-1

TW-1 EXTRA 47" TAPERED WHIPS $5.95
TW-2 EXTRA 59" TAPERED WHIPS $6.95